


# EZCLONE<sup>®</sup> 128 SITE CLONING DIAGRAM



Cycle Start Date: / /



Notes \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

A1	B1	C1	D1
A2	B2	C2	D2
A3	B3	C3	D3
A4	B4	C4	D4
A5	B5	C5	D5
A6	B6	C6	D6
A7	B7	C7	D7
A8	B8	C8	D8
A9	B9	C9	D9
A10	B10	C10	D10
A11	B11	C11	D11
A12	B12	C12	D12
A13	B13	C13	D13
A14	B14	C14	D14
A15	B15	C15	D15
A16	B16	C16	D16
E1	F1	G1	H1
E2	F2	G2	H2
E3	F3	G3	H3
E4	F4	G4	H4
E5	F5	G5	H5
E6	F6	G6	H6
E7	F7	G7	H7
E8	F8	G8	H8
E9	F9	G9	H9
E10	F10	G10	H10
E11	F11	G11	H11
E12	F12	G12	H12
E13	F13	G13	H13
E14	F14	G14	H14
E15	F15	G15	H15
E16	F16	G16	H16

	pH:	Room Temp:	Room Humidity:	Reservoir Temp:	Additives:	Sprays:
WEEK 1	DAY 1					
	DAY 2					
	DAY 3					
	DAY 4					
	DAY 5					
	DAY 6					
	DAY 7					
WEEK 2	DAY 8					
	DAY 9					
	DAY 10					
	DAY 11					
	DAY 12					
	DAY 13					
	DAY 14					