


EZCLONE® 64 SITE CLONING DIAGRAM



Cycle Start Date: / /

Notes _____

A1 _____	B1 _____	C1 _____	D1 _____
A2 _____	B2 _____	C2 _____	D2 _____
A3 _____	B3 _____	C3 _____	D3 _____
A4 _____	B4 _____	C4 _____	D4 _____
A5 _____	B5 _____	C5 _____	D5 _____
A6 _____	B6 _____	C6 _____	D6 _____
A7 _____	B7 _____	C7 _____	D7 _____
A8 _____	B8 _____	C8 _____	D8 _____
E1 _____	F1 _____	G1 _____	H1 _____
E2 _____	F2 _____	G2 _____	H2 _____
E3 _____	F3 _____	G3 _____	H3 _____
E4 _____	F4 _____	G4 _____	H4 _____
E5 _____	F5 _____	G5 _____	H5 _____
E6 _____	F6 _____	G6 _____	H6 _____
E7 _____	F7 _____	G7 _____	H7 _____
E8 _____	F8 _____	G8 _____	H8 _____

	pH:	Room Temp:	Room Humidity:	Reservoir Temp:	Additives:	Sprays:
WEEK 1	DAY 1					
	DAY 2					
	DAY 3					
	DAY 4					
	DAY 5					
	DAY 6					
	DAY 7					
WEEK 2	DAY 8					
	DAY 9					
	DAY 10					
	DAY 11					
	DAY 12					
	DAY 13					
	DAY 14					