


EZCLONE® 64 SITE CLONING DIAGRAM



Cycle Start Date: / /

Notes _____

A1	_____	B1	_____	C1	_____	D1	_____
A2	_____	B2	_____	C2	_____	D2	_____
A3	_____	B3	_____	C3	_____	D3	_____
A4	_____	B4	_____	C4	_____	D4	_____
A5	_____	B5	_____	C5	_____	D5	_____
A6	_____	B6	_____	C6	_____	D6	_____
A7	_____	B7	_____	C7	_____	D7	_____
A8	_____	B8	_____	C8	_____	D8	_____
E1	_____	F1	_____	G1	_____	H1	_____
E2	_____	F2	_____	G2	_____	H2	_____
E3	_____	F3	_____	G3	_____	H3	_____
E4	_____	F4	_____	G4	_____	H4	_____
E5	_____	F5	_____	G5	_____	H5	_____
E6	_____	F6	_____	G6	_____	H6	_____
E7	_____	F7	_____	G7	_____	H7	_____
E8	_____	F8	_____	G8	_____	H8	_____

	pH:	Room Temp:	Room Humidity:	Reservoir Temp:	Additives:	Sprays:
WEEK 1	DAY 1					
	DAY 2					
	DAY 3					
	DAY 4					
	DAY 5					
	DAY 6					
	DAY 7					
WEEK 2	DAY 8					
	DAY 9					
	DAY 10					
	DAY 11					
	DAY 12					
	DAY 13					
	DAY 14					